

2


## M12 male 0° D-cod. / RJ45 45° down shielded

PUR 1x4xAWG22 shielded gn UL/CSA+drag ch. 2m

Product fulfills requirements according to UN/ECE R118 Ethernet CAT5 Male straight – male 45° on bottom M12 – RJ45, 4-pole D-coded shielded 8-pole partly used Further cable lengths on request. Plastic housings with good resistance against chemicals and oils. The resistance to aggressive media should be individually tested for your application. Further details on request.

## Link to Product

Illustration







Product may differ from Image



Cable length	2 m
Side 1	
Tightening torque	0,6 Nm
Family construction form	M12
Thread	M12 x 1
Coding	D
Material	PUR
Width across flats	SW13
Degree of protection (EN IEC 60529)	IP67
Side 2	
Family construction form	RJ45
Material	PUR
Degree of protection (EN IEC 60529)	IP20
Commercial data	
ECLASS-6.0	27061801
ECLASS-6.1	27060307
ECLASS-7.0	27060307
ECLASS-8.0	27060307
ECLASS-9.0	27060307
ECLASS-10.1	27060307
ECLASS-11.1	27060307
ECLASS-12.0	27060307
ETIM-5.0	EC001855
customs tariff number	85444290
GTIN	4048879816052
Packaging unit	1
Electrical data   Supply	
Operating voltage DC max.	60 V
Operating voltage DC max. (UL-listed)	30 V
Current operating per contact max.	1,5 A
Industrial communication	

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-06-26

Murrelektronik ApS | Alexander Foss Gade 13, 1. | 9000 Aalborg | Fon +45 96 35 06 06 | Fax | shop@murrelektronik.dk | shop.murrelektronik.dk



Transfer parameters

CAT5, Class D (ISO/IEC 11801:2002), (EN 50173-1)

	CAT5, Class D (150/12C 11601.2002), (EN 50173-1)
Data transmission rate max.	100 MBit/s
Industrial communication   Ethernet func	tionality
duplex	Full duplex
·	
Device protection   Electrical	
Pollution Degree	3
Rated surge voltage	1 kV
Material group (IEC 60664-1)	
Mechanical data	
Contour for corrugated hose	without
Mechanical data   Material data	
Coating locking	Nickeled
Locking material	Zinc die-casting
Mechanical data   Mounting data	
· · ·	
Mounting method	inserted, screwed, Shaking protection
Environmental characteristics   Climatic	
Operating temperature min.	-25 °C
Operating temperature max.	85 °C
Additional condition temperature range	depending on cable quality
Important installation notes	
Note on strain relief	Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties.
Note on bending radius	Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces.
Conformity	
-	
Product standard	DIN EN 61076-2-101 (M12)
Installation   Cable	
wire arrangement	white, yellow, blue, orange
Cable identification	796
Jacket Color	green
Type of Certificate	cURus
Amount stranding	1
Stranding	
Cable shielding (type)	4 wires around Core filler twisted
Cable shielding (coverage)	copper braid, tinned
Banding	copper braid, tinned 85 %
	copper braid, tinned
Filler	copper braid, tinned 85 % Fleece, Foil yes
Filler wire arrangement	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange
Filler wire arrangement Cable weigth	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange         69,3 g/m
Filler wire arrangement Cable weigth Material jacket	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange         69,3 g/m         PUR
Filler wire arrangement Cable weigth Material jacket Shore hardness jacket	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange         69,3 g/m         PUR         89 Shore A
Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket)	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange         69,3 g/m         PUR         89 Shore A         lead-free, cadmium-free, CFC-free, halogen-free, silicone-free
Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket)	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange         69,3 g/m         PUR         89 Shore A         lead-free, cadmium-free, CFC-free, halogen-free, silicone-free         6,7 mm
Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath)	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange         69,3 g/m         PUR         89 Shore A         lead-free, cadmium-free, CFC-free, halogen-free         6,7 mm         ± 5 %
Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange         69,3 g/m         PUR         89 Shore A         lead-free, cadmium-free, CFC-free, halogen-free, silicone-free         6,7 mm         ± 5 %         FRNC
Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket)	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange         69,3 g/m         PUR         89 Shore A         lead-free, cadmium-free, CFC-free, halogen-free, silicone-free         6,7 mm         ± 5 %         FRNC         natur
Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange         69,3 g/m         PUR         89 Shore A         lead-free, cadmium-free, CFC-free, halogen-free, silicone-free         6,7 mm         ± 5 %         FRNC         natur         PE
Filler         wire arrangement         Cable weigth         Material jacket         Shore hardness jacket         Freedom from ingredients (jacket)         Outer-diameter (jacket)         Tolerance outer diameter (sheath)         Material inner jacket         Color (inner jacket)         Material wire insulation         Amount wires	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange         69,3 g/m         PUR         89 Shore A         lead-free, cadmium-free, CFC-free, halogen-free, silicone-free         6,7 mm         ± 5 %         FRNC         natur         PE         4
Filler         wire arrangement         Cable weigth         Material jacket         Shore hardness jacket         Freedom from ingredients (jacket)         Outer-diameter (jacket)         Tolerance outer diameter (sheath)         Material inner jacket         Color (inner jacket)         Material wire insulation         Amount wires         Outer diameter insulation	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange         69,3 g/m         PUR         89 Shore A         lead-free, cadmium-free, CFC-free, halogen-free, silicone-free         6,7 mm         ± 5 %         FRNC         natur         PE         4         1,4 mm
Filler         wire arrangement         Cable weigth         Material jacket         Shore hardness jacket         Freedom from ingredients (jacket)         Outer-diameter (jacket)         Tolerance outer diameter (sheath)         Material inner jacket         Color (inner jacket)         Material wire insulation         Amount wires         Outer diameter tolerance core insulation	copper braid, tinned85 %Fleece, Foilyeswhite, yellow, blue, orange69,3 g/mPUR89 Shore Alead-free, cadmium-free, CFC-free, halogen-free, silicone-free6,7 mm± 5 %FRNCnaturPE41,4 mm± 5 %
Filler         wire arrangement         Cable weigth         Material jacket         Shore hardness jacket         Freedom from ingredients (jacket)         Outer-diameter (jacket)         Tolerance outer diameter (sheath)         Material inner jacket         Color (inner jacket)         Material wire insulation         Amount wires         Outer diameter insulation	copper braid, tinned         85 %         Fleece, Foil         yes         white, yellow, blue, orange         69,3 g/m         PUR         89 Shore A         lead-free, cadmium-free, CFC-free, halogen-free, silicone-free         6,7 mm         ± 5 %         FRNC         natur         PE         4         1,4 mm

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-06-26

Murrelektronik ApS | Alexander Foss Gade 13, 1. | 9000 Aalborg | Fon +45 96 35 06 06 | Fax | shop@murrelektronik.dk | shop.murrelektronik.dk



Amount strands (wire)	7
Diameter of single wires	22 AWG
Conductor crosssection (wire)	22 AWG
Material conductor wire	Stranded copper wire, bare
Nominal voltage AC max.	300 V
Current load capacity (standard)	to DIN VDE 0298-4
Current load capacity min. wire	4,8 A
Characteristic impedance	100 Ω ± 15 % @ 100 MHz
Electrical resistance line constant wire	55 Ω/km @ 20 °C
AC withstand voltage (wire - wire)	2 kV @ 60 s
Electrical capacity line constant (wire - wire)	50000 pF/km
Power frequency withstand voltage (wire - jacket)	2 kV @ 60 s
AC withstand voltage (wire - shield)	2 kV @ 60 s
Isolation resistance	5000 MΩ × km
Min. operating temperature (static)	-40 °C
Max. operating temperature (fixed)	0° 08
Operating temperature min. (dynamic)	-30 °C
Operating temperature max. (dynamic)	70 °C
Flame resistance	IEC 60332-2-2   UL 1581 § 1090   UL 1581 § 1100 FT2
chemical resistance	Good, application-related testing
Gasoline resistance	Good, application-related testing
Oil resistance	DIN EN 60811-404   Good, application-related testing
Bending radius (fixed)	5 x Outer diameter
Bending radius (dynamic)	12 x Outer diameter
No. of bending cycles (C-track)	3 Mio. @ 25 °C
Traversing distance (C-track)	5 m @ 25 °C
Travel speed (C-track)	3,3 m/s @ 25 °C
No. of torsion cycles	1 Mio. 25 °C
Torsion stress	± 180 °/m

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-06-26

Murrelektronik ApS | Alexander Foss Gade 13, 1. | 9000 Aalborg | Fon +45 96 35 06 06 | Fax | shop@murrelektronik.dk | shop.murrelektronik.dk