

M12 male 0° / RJ45 male 0° D-cod. shielded V2A

PUR 1x4xAWG22 shielded gn UL/CSA+drag ch. 3m

Product fulfills requirements according to UN/ECE R118

Ethernet CAT5

The resistance to aggressive media should be individually tested for your application. Further details on request.

Male straight - male straight

M12 - RJ45, 4-pole

D-coded

shielded

8-pole partly used


Stainless steel 1.4305 (V2A)


Further cable lengths on request.


Plastic housings with good resistance against chemicals and oils.


Link to Product

Illustration













stay connected





Product may differ from Image









Cable length	3 m	
Side 1		
Tightening torque	0,6 Nm	
Family construction form	M12	
Thread	M12 x 1	
Width across flats	SW13	
Degree of protection (EN IEC 60529)	IP67	
Side 2		
Family construction form	RJ45	
Degree of protection (EN IEC 60529)	IP20	
Commercial data		
ECLASS-6.0	27061801	
ECLASS-6.1	27060307	
ECLASS-7.0	27060307	
ECLASS-8.0	27060307	
ECLASS-9.0	27060307	
ECLASS-10.1	27060307	
ECLASS-11.1	27060307	
ECLASS-12.0	27060307	
ETIM-5.0	EC002599	
customs tariff number	85444290	
GTIN	4048879324229	
Packaging unit	1	
Electrical data Supply		
Operating voltage DC max.	60 V	
Operating voltage DC max. (UL-listed)	30 V	
Current operating per contact max.	1,5 A	
Industrial communication		
Transfer parameters	CAT5, Class D (ISO/IEC 11801:2002), (EN 50173-1)	
Data transmission rate max.	100 MBit/s	
Industrial communication Ethernet functionality		



stay connected

duplex	Full duplex
Device protection Electrical	
Pollution Degree	3
Rated surge voltage	1 kV
Material group (IEC 60664-1)	1
Mechanical data	
Contour for corrugated hose	without
Mechanical data Material data	William
·	Chairless should 4005 (VOA)
Locking material	Stainless steel 1.4305 (V2A)
Mechanical data Mounting data	
Mounting method	inserted, screwed, Shaking protection
Environmental characteristics Climatic	
Operating temperature min.	-25 °C
Operating temperature max.	85 °C
Additional condition temperature range	depending on cable quality
Important installation notes	
Note on strain relief	Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties.
Note on bending radius	Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces.
Conformity	
Product standard	DIN EN 61076-2-101 (M12)
Installation Cable	
wire arrangement	white, yellow, blue, orange
Cable identification	796
Jacket Color	green
Type of Certificate	cURus
Amount stranding	1
Stranding	4 wires around Core filler twisted
Cable shielding (type)	copper braid, tinned
Cable shielding (coverage)	85 %
Cable shielding (coverage) Banding	85 % Fleece, Foil
Banding	Fleece, Foil
Banding Filler	Fleece, Foil yes
Banding Filler wire arrangement Cable weigth Material jacket	Fleece, Foil yes white, yellow, blue, orange
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket)	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free, silicone-free
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket)	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free, silicone-free 6,7 mm
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath)	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 %
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket)	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC natur
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC natur PE
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC natur PE 4
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires Outer diameter insulation	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC natur PE 4 1,4 mm
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC natur PE 4 1,4 mm ± 5 %
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC natur PE 4 1,4 mm ± 5 % 65 Shore D
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free e 6,7 mm ± 5 % FRNC natur PE 4 1,4 mm ± 5 % 65 Shore D lead-free, CFC-free, halogen-free
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation Amount strands (wire)	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC natur PE 4 1,4 mm ± 5 % 65 Shore D lead-free, CFC-free, halogen-free 7
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation Amount strands (wire) Diameter of single wires	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free, silicone-free 6,7 mm ± 5 % FRNC natur PE 4 1,4 mm ± 5 % 65 Shore D lead-free, CFC-free, halogen-free 7 22 AWG
Banding Filler wire arrangement Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material inner jacket Color (inner jacket) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation Amount strands (wire)	Fleece, Foil yes white, yellow, blue, orange 69,3 g/m PUR 89 Shore A lead-free, cadmium-free, CFC-free, halogen-free 6,7 mm ± 5 % FRNC natur PE 4 1,4 mm ± 5 % 65 Shore D lead-free, CFC-free, halogen-free 7



stay connected

Nominal voltage AC max.	300 V
Current load capacity (standard)	to DIN VDE 0298-4
Current load capacity min. wire	4,8 A
Characteristic impedance	100 Ω ± 15 % @ 100 MHz
Electrical resistance line constant wire	55 Ω/km @ 20 °C
AC withstand voltage (wire - wire)	2 kV @ 60 s
Electrical capacity line constant (wire - wire)	50000 pF/km
Power frequency withstand voltage (wire - jacket)	2 kV @ 60 s
AC withstand voltage (wire - shield)	2 kV @ 60 s
Isolation resistance	5000 MΩ × km
Min. operating temperature (static)	-40 °C
Max. operating temperature (fixed)	80 °C
Operating temperature min. (dynamic)	-30 °C
Operating temperature max. (dynamic)	70 °C
Flame resistance	IEC 60332-2-2 UL 1581 § 1090 UL 1581 § 1100 FT2
chemical resistance	Good, application-related testing
Gasoline resistance	Good, application-related testing
Oil resistance	DIN EN 60811-404 Good, application-related testing
Bending radius (fixed)	5 x Outer diameter
Bending radius (dynamic)	12 x Outer diameter
No. of bending cycles (C-track)	3 Mio. @ 25 °C
Traversing distance (C-track)	5 m @ 25 °C
Travel speed (C-track)	3,3 m/s @ 25 °C
No. of torsion cycles	1 Mio. 25 °C
Torsion stress	± 180 °/m