

1

2

3

Δ

5

6

7

8


## M12 male 90° / M12 male 90° Y-cod. shielded

PUR AWG20/26 shielded bk UL/CSA+drag ch. 5m

Ethernet CAT5 Male 90° – male 90° M12 – M12, 8-pole Y-coded shielded Further cable lengths on request. Plastic housings with good resistance against chemicals and oils. The resistance to aggressive media should be individually tested for your application. Further details on request.

## Link to Product





Product may differ from Image



Cable length

5 m

Side 1

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-05-18



Thread Coding Material Width across flats Side 2 Tightening torque Family construction form Thread Coding Material Commercial data ECLASS-6.0 ECLASS-6.0 ECLASS-6.1 ECLASS-6.1 ECLASS-6.1 ECLASS-6.1 ECLASS-7.0 ECLASS-7.0 ECLASS-7.0 ECLASS-7.0 ECLASS-10.1 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	M12         M12 x 1         Y         PUR         SW13         0,6 Nm         M12         M12 x 1         Y         PUR         27279218         27060307
Coding Material Width across flats Side 2 Tightening torque Family construction form Thread Coding Material Commercial data ECLASS-6.0 ECLASS-6.0 ECLASS-6.1 ECLASS-6.1 ECLASS-6.1 ECLASS-6.1 ECLASS-7.0 ECLASS-7.0 ECLASS-7.0 ECLASS-7.0 ECLASS-10.1 ECLASS-10.1 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	Y         PUR         SW13         0,6 Nm         M12         M12         M12 × 1         Y         PUR         27279218         27060307
Material Width across flats Side 2 Tightening torque Family construction form Thread Coding Material Commercial data ECLASS-6.0 ECLASS-6.0 ECLASS-6.1 ECLASS-6.1 ECLASS-6.1 ECLASS-6.1 ECLASS-7.0 ECLASS-7.0 ECLASS-8.0 ECLASS-8.0 ECLASS-10.1 ECLASS-10.1 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	PUR         SW13         0,6 Nm         M12         M12 x1         Y         PUR         27279218         27060307
Width across flats Side 2 Tightening torque Family construction form Thread Coding Material Commercial data ECLASS-6.0 ECLASS-6.1 ECLASS-6.1 ECLASS-6.1 ECLASS-7.0 ECLASS-7.0 ECLASS-8.0 ECLASS-9.0 ECLASS-9.0 ECLASS-10.1 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	SW13 0,6 Nm M12 M12 x 1 Y PUR 27279218 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307
Side 2 Tightening torque Family construction form Thread Coding Material Commercial data ECLASS-6.0 ECLASS-6.1 ECLASS-6.1 ECLASS-6.1 ECLASS-6.1 ECLASS-7.0 ECLASS-7.0 ECLASS-7.0 ECLASS-8.0 ECLASS-9.0 ECLASS-9.0 ECLASS-10.1 ECLASS-11.1 ECLASS-11.2 ECLASS-12.0 ETIM-5.0	0,6 Nm         M12         M12 x 1         Y         PUR         27279218         27060307
Tightening torque Family construction form Thread Coding Material Commercial data ECLASS-6.0 ECLASS-6.1 ECLASS-6.1 ECLASS-7.0 ECLASS-7.0 ECLASS-7.0 ECLASS-8.0 ECLASS-8.0 ECLASS-9.0 ECLASS-10.1 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	M12         M12 x 1         Y         PUR         27279218         27060307
Family construction form Thread Coding Material Commercial data ECLASS-6.0 ECLASS-6.1 ECLASS-7.0 ECLASS-7.0 ECLASS-8.0 ECLASS-9.0 ECLASS-9.0 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	M12 M12 x 1 Y PUR 27279218 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 85464290
Thread Coding Material Commercial data ECLASS-6.0 ECLASS-6.1 ECLASS-7.0 ECLASS-7.0 ECLASS-7.0 ECLASS-8.0 ECLASS-9.0 ECLASS-9.0 ECLASS-10.1 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	M12 x 1 Y PUR 27279218 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 85464290
Coding Material Commercial data ECLASS-6.0 ECLASS-6.1 ECLASS-7.0 ECLASS-7.0 ECLASS-8.0 ECLASS-8.0 ECLASS-9.0 ECLASS-10.1 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	Y PUR 27279218 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 85404290
Material Commercial data ECLASS-6.0 ECLASS-6.1 ECLASS-8.0 ECLASS-8.0 ECLASS-9.0 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	PUR 27279218 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 854000000000000000000000000000000000000
Commercial data           ECLASS-6.0           ECLASS-6.1           ECLASS-7.0           ECLASS-8.0           ECLASS-9.0           ECLASS-10.1           ECLASS-11.1           ECLASS-12.0           ETIM-5.0	27279218 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 27060307 85444290
ECLASS-6.0 ECLASS-6.1 ECLASS-7.0 ECLASS-8.0 ECLASS-9.0 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	27060307 27060307 27060307 27060307 27060307 27060307 27060307 EC000830 85444290
ECLASS-6.1 ECLASS-7.0 ECLASS-8.0 ECLASS-9.0 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	27060307 27060307 27060307 27060307 27060307 27060307 27060307 EC000830 85444290
ECLASS-7.0 ECLASS-8.0 ECLASS-9.0 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	27060307 27060307 27060307 27060307 27060307 27060307 EC000830 85444290
ECLASS-7.0 ECLASS-8.0 ECLASS-9.0 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	27060307 27060307 27060307 27060307 27060307 27060307 EC000830 85444290
ECLASS-8.0 ECLASS-9.0 ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	27060307 27060307 27060307 27060307 27060307 EC000830 85444290
ECLASS-10.1 ECLASS-11.1 ECLASS-12.0 ETIM-5.0	27060307 27060307 27060307 EC000830 85444290
ECLASS-11.1 ECLASS-12.0 ETIM-5.0	27060307 27060307 EC000830 85444290
ECLASS-12.0 ETIM-5.0	27060307 EC000830 85444290
ETIM-5.0	EC000830 85444290
	85444290
customs tariff number	
GTIN	4048879818209
Packaging unit	1
Electrical data   Supply	
Operating voltage AC max.	50 V
Operating voltage DC max.	50 V
Operating voltage DC max. (UL-listed)	30 V
Operating current per data contact max.	0,5 A
Operating current per power contact max.	6 A
Industrial communication	
Transfer parameters	CAT5, Class D (ISO/IEC 11801:2002), (EN 50173-1)
	100 MBit/s
Industrial communication   Ethernet functio	onality
duplex	Full duplex
Device protection   Electrical	
Degree of protection (EN IEC 60529)	IP65, IP67
<b>a</b> 1 (	inserted, screwed
1 5	3
	0,8 kV
Material group (IEC 60664-1)	I
Mechanical data	
Contour for corrugated hose	without
Mechanical data   Material data	
	Nickeled
	Zinc die-casting
Mechanical data   Mounting data	
	inserted, screwed, Shaking protection
Environmental characteristics   Climatic	

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-05-18

Murrelektronik ApS | Alexander Foss Gade 13, 1. | 9000 Aalborg | Fon +45 96 35 06 06 | Fax | shop@murrelektronik.dk | shop.murrelektronik.dk



Operating temperature min.	-25 °C
Operating temperature max.	85 °C
Additional condition temperature range	depending on cable quality
Important installation notes	
Note on strain relief	Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties.
Note on bending radius	Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces.
Installation   Cable	
wire arrangement	black, brown, white, blue, (orange-white, green, orange, green-white)
Cable identification	805
Jacket Color	black
Type of Certificate	cURus
Amount stranding	1
Stranding	4 wires around 1 Filler twisted
Amount stranding (type 2)	1
Stranding (type 2)	4 wires around Stranding combination with Filler twisted
Cable shielding (type)	copper braid, tinned
Cable shielding (coverage)	85 %
Pair shielding (type)	copper braid, tinned
Banding	Fleece, Foil
Filler	yes
wire arrangement	black, brown, white, blue, (orange-white, green, orange, green-white)
Cable weigth	107,8 g/m
Material jacket	PUR
Shore hardness jacket	90 ± 5 Shore A
Freedom from ingredients (jacket)	lead-free, cadmium-free, CFC-free, halogen-free, silicone-free
Outer-diameter (jacket)	8.1 mm
Tolerance outer diameter (sheath)	±5%
Material wire insulation	PP
Amount wires	4
Outer diameter insulation	1,5 mm
Outer diameter tolerance core insulation	±5%
Shore hardness wire insulation	55 ± 5 Shore D
Ingredient freeness wire insulation	lead-free, cadmium-free, CFC-free, halogen-free, silicone-free
Amount strands (wire)	19
Diameter of single wires	20 AWG
Conductor crosssection (wire)	20 AWG
Material conductor wire	Stranded copper wire, bare
Material wire insulation (Data)	PP
Outer diameter wire insulation (Data)	1,1 mm
Tolerance outer diameter wire insulation (data)	
Shore hardness wire insulation (Data)	55 ± 5 Shore D
Ingredient freeness wire insulation (Data)	lead-free, cadmium-free, CFC-free, halogen-free, silicone-free
Amount wires (Data)	4
Amount strands wire (Data)	19
Diameter of single wires (Data)	26 AWG
Conductor crosssection wire (Data)	26 AWG
Material conductor wire (Data)	Stranded copper wire, bare
Nominal voltage AC max.	60 V
Current load capacity (standard)	to DIN VDE 0298-4
Current load capacity min. wire	5,9 A
Current load capacity min. Wire (Data)	2 A
Characteristic impedance	100 Ω ± 15 % @ 1 MHz

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-05-18

Murrelektronik ApS | Alexander Foss Gade 13, 1. | 9000 Aalborg | Fon +45 96 35 06 06 | Fax | shop@murrelektronik.dk | shop.murrelektronik.dk



Electrical resistance line constant wire	35 Ω/km
Electrical resistance coating wire (Data)	140 Ω/km
AC withstand voltage (wire - wire)	1 kV @ 60 s
Electrical capacity line constant (wire - wire)	52000 pF/km
Power frequency withstand voltage (wire - jacket)	1 kV @ 60 s
AC withstand voltage (wire - shield)	1 kV @ 60 s
Isolation resistance	5000 ΜΩ
Min. operating temperature (static)	-50 °C
Max. operating temperature (fixed)	80 °C / 90 °C @ 10000 h Operation
Operating temperature min. (dynamic)	-40 °C
Operating temperature max. (dynamic)	80 °C / 90 °C @ 10000 h Operation
Flame resistance	UL 1581 § 1090   UL 1581 § 1100 FT2   IEC 60332-2-2
chemical resistance	Good, application-related testing
Gasoline resistance	Good, application-related testing
Oil resistance	DIN EN 60811-404   Good, application-related testing
Bending radius (installation)	x Outer diameter
Bending radius (fixed)	5 x Outer diameter
Bending radius (dynamic)	10 x Outer diameter
No. of bending cycles (C-track)	5 Mio.
Traversing distance (C-track)	5 m
Travel speed (C-track)	3,3 m/s
No. of torsion cycles	2 Mio.
Torsion stress	± 30 °/m
Torsion speed	35 cycles/min

The information in this Product-PDF has been compiled with the utmost care. Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-05-18 Murrelektronik ApS | Alexander Foss Gade 13, 1. | 9000 Aalborg | Fon +45 96 35 06 06 | Fax | shop@murrelektronik.dk | shop.murrelektronik.dk