

MPOT POTENTIOMETER MODULE

5K-Ohm/3600° /10 turn

10-turn potentiometer



5 kΩ

The 10-turn potentiometer has a decimal scale and locking lever

The potentiometer modules are fitted with standard values. They are available as 270° potentiometer and as 10-turn potentiometer with fine adjustment. They can be operated with 10 V DC or 24 V DC. A resistor reduces the voltage so that a 24 V DC voltage can be reduced to operate between approx. 0...11 V. The connection is via terminals.

Link to Product

Illustration



Product may differ from Image

| Commercial data |          |
|-----------------|----------|
| ECLASS-6.0      | 27371227 |
| ECLASS-6.1      | 27371227 |
| ECLASS-7.0      | 27371227 |
| ECLASS-8.0      | 27371227 |
| ECLASS-9.0      | 27371227 |
| ECLASS-10.1     | 27371227 |
| ECLASS-11.1     | 27371227 |
| ECLASS-12.0     | 27371227 |
| ETIM-5.0        | EC001027 |

|                       |               |
|-----------------------|---------------|
| customs tariff number | 85334010      |
| GTIN                  | 4048879041621 |
| Packaging unit        | 1             |

**Electrical data**

|                      |         |
|----------------------|---------|
| Power max.           | 1,4 W   |
| Linearity            | ±0,25 % |
| Resistance           | 5 kΩ    |
| Resistance tolerance | 5 %     |

**Electrical data | Input**

|                 |        |
|-----------------|--------|
| Power loss max. | 0,25 W |
|-----------------|--------|

**Mechanical data | Mounting data**

|                            |                           |
|----------------------------|---------------------------|
| Mounting method            | geschnappt                |
| Suitable for mounting type | mounting rail, (EN 60715) |
| Height                     | 75 mm                     |
| Width                      | 45 mm                     |
| Depth                      | 65 mm                     |

**Environmental characteristics | Climatic**

|                            |       |
|----------------------------|-------|
| Operating temperature min. | 0 °C  |
| Operating temperature max. | 60 °C |